



GENERAL CONSTRUCTION NOTES

1. ALL CONSTRUCTION AND MATERIALS SHALL BE IN STRICT CONFORMANCE WITH APPLICABLE PROVISIONS OF STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION. CITY OF SAN ANTONIO
2. UNLESS OTHERWISE SPECIFIED ALL STANDARD FOUR (40) FEET MANHOLES SHALL BE NEW UNIT PRECAST REINFORCEMENT CONCRETE MANHOLE SECTIONS AS MANUFACTURED BY MISSION CONCRETE PIPE CO. OR EQUAL.
ALL MANHOLE SECTIONS SHALL BE PRECAST WITH TONGUE & GROOVE OR DOVE-TAIL JOINTS
3. MANHOLE RINGS AND COVERS SHALL BE TRANS-TEX ^{10" RINGS} A77 OR APPROVED EQUAL ~~W/ WATER TIGHT MANHOLES RINGS AND COVERS ARE SPECIFIED.~~
4. ALL DIMENSIONS RELATING TO REINFORCING ARE TO CENTER OF BARS.
5. MATERIAL FOR SANITARY SEWER PIPE MUST BE THE SAME FROM MANHOLE TO MANHOLE. CHANGES IN TYPE OF PIPE MAY BE MADE ONLY AT MANHOLES, OR SPECIAL STRUCTURES EXCEPT FOR LENGTHS OF CAST IRON AS APPROVED BY THE ENGINEER.





DROP MANHOLE
NOT TO SCALE

APPROVED
CITY OF SAN ANTONIO
PUBLIC WORKS DEPT.
SANITARY SEWERS
BY M. Mosio
DATE 2-18-74

OM-4995
3-3

DRAWN BY: <u>M/O</u> CHECKED BY: <u>LAS</u> ENGINEER: <u>LMT</u> DATE: <u>11/8/73</u> JOB NUMBER: <u>12-49</u>	REVISIONS NO. DATE
--	-----------------------

**TRAVIS · BRAUN
& ASSOCIATES, INC.
ENGINEERS**
SAN ANTONIO · DALLAS



ROSA VERDE TEX R-78

SANITARY SEWER DETAILS

SHEET

1
of
1